

COMPACT PLUS

Dispenser with embedded GK-7Plus
own consumption controller



- ✓ Supply control
- ✓ User and vehicle control
- ✓ With automatic and wireless communication to DieselPlus Cloud Software



COMPACT PLUS

Use

Electronic supply kits with GK-7Plus own consumption controller are suitable for diesel supply, measurement and control.

Suitable for transport companies, private vehicle fleets, agricultural companies, civil works.

	Flow	Pump	Nozzle	Code
COMPACT 50PLUS 12-60U	40-50 l/min	IRON-50 12 VDC	PA-60	28583-CF00000
COMPACT 50PLUS 230-60U	40-50 l/min	IRON-50 230 VAC	PA-60	28541-CF00000
COMPACT 75PLUS 230-60U	65-70 l/min	IRON-75 230 VAC	PA-80	28641-CF00000
COMPACT 90PLUS 12-60U	70-80 l/min	AG-90 12 VDC	PA-80	28592-CF00000
COMPACT 100PLUS 230-60U	75-85 l/min	AG-100 230 VAC	PA-120	28651-CF00000

Components

Chassis

- › Made of steel
- › Treatment to maximise corrosion protection
- › Weatherproof

Software

- › Controller with an embedded GPRS modem that automatically communicates with the DieselPlus Cloud Software

Pulser

- › MGI-110 · 90° Hall Effect · Accuracy ± 0.5 %

Pump

- › Self-suction, eccentric with self-adjusting blades

Hose and nozzle

- › 4 m hose for diesel and automatic nozzle

Optional

Hexagonal pedestal base	800400015
Folding protection sun-shield	FE016001
FG-100 · Microfilter for diesel of 25 μ m	39023-CF00010
F1" aluminium flange kit	800003029



COMPACT PLUS

Controller

- › Communication in each supply. In case of no communication, it saves up to 1,000 supplies in its memory
- › Required a DieselPlus licence to get the user and password
- › The own consumption controller allowing its use only to authorised personnel
- › Supply with or without litre preset
- › User and/or vehicle identification through numerical code or iButton keys. Other identification systems available
- › Internal key for the manual starting in case of an electronics breakdown
- › Bidirectional communication with the software which allows to configure, create users and vehicles

Memory & identification systems

User/vehicle memory options	Code
Memory of 60 users/vehicles · 1,000 services	Included
Memory of 130 users/vehicles · 1,000 services	FE007002
Memory of 1,000 users/vehicles · 1,000 services	FE007003
Identification system by iButton	
Identification key reader (iButton)	Included
GK-7 Identification key (pack of 10 units)	251201002
Other identification systems	
Proximity card reader	FE017002
Magnetic card reader	FE017003
TAG reader with spiral cable	FE017004
TAG wireless reader	FE017005
Proximity card	803304015
Magnetic card	251201004
TAG fixed disc identifier	251201006
TAG keyring identifier	251201005



DieselPlus

Cloud software for the management of supplies, users, vehicles and levels of your tanks

The new generation of Cloud Software for the fleet and supply management

DieselPlus is the 'on demand' cloud software that allows to check and manage the data.

The software does not require any installation because it is an online service. The application can be used from any device connected to the Internet any time.

Main functionalities

APP. Check through the 'Dieselplus Tanks' App from your smartphone.

Automatic and wireless communication.

The dispensers with GK-7Plus controller are automatically communicated M2M with the DieselPlus servers. This communication is automatic without any user operation.

Multistation. One or more users can control different dispensers, which could be placed in different geographical zones and share or not users and vehicles.


Multiuser. The software can be used by different users at the same time. Each user will be able to access only to the previously assigned areas. It is possible to establish a hierarchical level of operators with different privileges and accesses.

Multiaccess/multiinstallation. All the users that have user name and password are able to access the DieselPlus software from any computer connected to the Internet.

Safe data. Any data is automatically communicated with the DieselPlus server.

Report issue. Lists and statistics for an easy interpretation of the information regarding to the alarms, levels, history, users, vehicles...

Technical assistance. E-mail or phone. Direct email or telephone number for the after-sales service in order to solve any doubt or incidence.



DIESELPLUS⁺

Automatic updates

Online assistance


Supply list

Level reading

Alarm configuration

History

Data export



*More information about the software in the technical sheet: 'DieselPlus Software'.


DieselPlus licences

ANNUAL DIESELPLUS LICENCES

	Validity	Max. users	Code
60-user annual DieselPlus licence	1 year	60 users	670500000
130-user annual DieselPlus licence	1 year	130 users	670500100
1,000-user annual DieselPlus licence	1 year	1,000 users	670500200

5-YEAR DIESELPLUS LICENCES

	Validity	Max. users	Code
60-user 5-year DieselPlus licence	5 years	60 users	670500300
130-user 5-year DieselPlus licence	5 years	130 users	670500400
1,000-user 5-year DieselPlus licence	5 years	1,000 users	670500500





See the product
on our website



INFRALINE Shop/Finia Oy

Tel. +358 (0)41 443 0540

info@infraline.fi

www.infraline.fi



Partida Horta d'Amunt s/n
25600 Balaguer (Lleida) · Spain

T +34 973 451 072
gespasa@gespasa.es

www.gespasa.es



Ref. 20251113.V6

*Because of the constant innovations and development, TOT COMERCIAL SA reserves the right to modify their product specifications and publicity, without prior notification.